

	Oznaczenie	Numer studni									
		S24	S25	S26	S27	S28	S29	S30			
Proj. rzedna wlawu	A	98,13	98,18	98,30	95,71	95,91	96,10	95,70			
Proj. rzedna dna kinety	B	96,03	96,26	96,50	93,23	93,43	93,66	93,92			
głębokość	C=A-B	2,10	1,92	1,80	2,48	2,48	2,44	1,78			
Dennica Ø 1000 mm											
560	1	-	-	-	-	-	-	1			
810		-	-	-	-	-	-	-			
1060		1	1	1	1	1	1	-			
Kręg Ø 1000mm											
250	2	-	-	-	-	-	-	1			
500		-	-	-	1	1	1	-			
750		-	-	1	-	-	-	-			
1000		1	-	1	-	-	-	-			
Zwężka Ø 1000/600	3										
600		1	1	1	1	1	1	1			
Pierścienie dystansowe											
60	4	-	-	1	1	1	2	2			
80		1	-	-	-	-	-	-			
100		2	1	-	1	1	-	1			
Właz Ø 625	5										
160		1	1	1	1	1	1	1			
DN0	Ø [m]	0,2	0,2	0,2	0,2	0,2	0,2	0,2			
	rzędna dna	96,03	96,26	96,50	93,23	93,43	93,66	93,92			
DN1	Ø [m]	0,15	0,2	0,15	0,15	0,2	0,15	0,15			
	rzędna dna	96,08	96,26	96,55	93,62	93,43	94,10	93,97			
	[°]	90	180	90	90	180	90	90			
DN2	Ø [m]	0,2			0,15		0,2				
	rzędna dna	96,03			93,38		93,66				
	[°]	180			115		180				
DN3	Ø [m]				0,2						
	rzędna dna				93,23						
	[°]				180						